R

Bearings with solid grease

Patent pending

САТ. NO. 3022-VII/E



NTN BEARINGS with SOLID GREASE

Bearings with general-purpose solid grease



Overview

"Solid grease" is a lubricant essentially composed of lubricating grease and ultra-high polymer polyethylene. Solid grease has the same viscosity as ordinary grease at normal temperature, but as a result of a special heat treatment process, this grease solidifies retaining a large proportion of the lubricant in it. Thanks to this solidification, the grease does not easily leak from the bearing, even when the bearing is subjected to strong vibrations or centrifugal force, helping to extend bearing life. Bearings with solid grease are available in two types: the spot-pack type in which solid grease is injected into the retainer, and the full-pack type in which all empty space around the rolling elements is filled with solid grease. Spot-pack solid grease is standard for deep groove ball bearings, small diameter ball bearings, and bearing units. Full-pack solid grease is standard for selfaligning ball bearings, self-aligning roller bearings, and needle roller bearings.

Table 1 Major components in solid greases

Solid grease (code)	Resin	Lubricant
General-purpose solid grease (LP03)	Ultra-high polymer polyethylene	Li-mineral oil grease
Food-grade solid grease (LP09)	Ultra-high polymer polyethylene	Urea-synthetic oil grease

Conforms to FDA standard.

Conforms to H-1 standard of NSF.

Solid grease filling options



Deep groove ball bearings (spot-pack)



Bearing units (spot-pack)





Needle roller bearings (full-pack)

Features

1. Reduced lubricant leakage

Because the base oil is retained in a solid mixture, it is less likely to leak out of the bearing. During operation, temperature rise and/or centrifugal force will cause a gradual release of the base oil into the raceway groove. Eliminating grease leakage from the bearing ensures a consistent supply of lubricant and prevents contamination of the surrounding environment.

2. Superior lubrication

Bearings with solid grease resist grease leakage prolonging bearing life in applications where high centrifugal force or vibration are present. The solid lubricant does not emulsify when exposed to water also extending both grease and bearing life.

3. Low torque characteristics

The running torque of spot-pack bearings with solid grease is lower than that of bearings using standard lubricants. With conventional greases, a shearing resistance is created as the grease is channeled out of the raceway groove. Spot-pack bearings with solid grease do not experience shear resistance resulting in a lower running torque.

4. Sealing effect

Though solid grease protects a bearing against ingress of foreign matters (water, dust, etc.), it is not a sufficient means as a sealing device. Therefore, for applications that need reliable sealing performance, we recommend the use of contact type rubber seals (deep groove ball bearings, bearing units) or other seals (other bearing types).



1. Bearings with general-purpose solid grease (LP03)

Fable 2 (O:standard \triangle :special X:not available			d △:special X:not available)	
Decrime	Туре		Bearing size	
Bearing	Spot-pack	Full-pack	Bearing out. dia.	
Deep groove ball bearings	0		Up to 350 mm dia.	
Miniature bearings Small dia. ball bearings	0	×	Inside diameter from 6 to 9 mm	
Self-aligning ball bearings	×	\bigcirc 1	Up to 250 mm dia.	
Spherical roller bearings	×	0	Up to 250 mm dia.	
Bearing units	0		Up to 300 mm dia.	
Needle roller bearings	×	02	Note 🛛	

Deep groove ball bearings with spot-pack configuration and ZZ shields are standard. Certain types and sizes of standard bearings listed in the table above are not available with solid grease. For further information, consult NTN Engineering by specifying the intended bearing type and size.

Available bearing size for needle roller bearings varies depending on bearing type. For further information, contact NTN Engineering.

Note: The bearing components are not composed of a corrosion-proof material.

2. Spot-pack configuration for bearings with food-grade solid grease (LP09)

F-UC204D1 to F-UC210D1

(Bearing units-stainless steel series)

Stainless steel deep groove ball bearings • (bearing outside diameter 250 mm or less)

The maximum operating temperature on the outer ring of bearings with solid grease must fall within the ranges in Table 3 below.

The bearings with solid grease may be assembled by "shrink fit" technique. However, be absolutely sure that that the maximum heating temperature does not exceed 100°C, the heating time is shorter than 2 hours, and the bearing does not turn during the shrink fit process.

Table 3

	Bearings with general-purpose solid grease (LP03)	Bearings with food-grade solid grease (LP09)
Allowable temperature range	-20°C~80°C (Long-time operation: 60°C or less)	-10°C~100°C (Long-time operation: 80°C or less)

Table 4 Allowable speed for bearings with solid grease

		Allowable speed (dn value)			
Bearing type	Load type	general	purpose	food-grade	
		Spot-pack	Full-pack	Spot-pack	
Deep groove ball bearings	Radial load	20×104	5×104	10×10⁴ ®	
Miniature bearings Small dia. ball bearings	Radial load	20×10 ⁴	—		
Self-aligning ball bearings	Radial load	—	3×10⁴	—	
	Radial load	—	3×104	—	
Spherical roller bearings	Axial load/radial load≦0.3	_	2×104	_	
Bearing units	Radial load	12×104	3×10 ⁴	10×10 ⁴	
Needle roller bearings	Radial load	_	3×104 Ø	_	

1 d_n value: (d = bearing bore dia. [mm])×(n = service speed [min⁻¹])

 \mathbb{C} F_{w.n} value: (F_w = roller set bore dia. [mm])×(n = service speed [min⁻¹])

③ If intending a speed exceeding an allowable speed, consult NTN Engineering.



A minimum radial load is required to prevent skidding of the rolling elements when using full-pack solid grease. The minimum load required is approximately 1% of the bearing dynamic load rating.

Please consult NTN for further details.



Allowable Speed



(1) Lubricant Leakage Test

Non shielded/sealed test bearings (spot-pack) were subjected to a centrifugal acceleration of 3,000 G (5,000 min⁻¹) for a period of four hours. Lubricant leakage from the **NTN** bearings with solid grease was approximately 2.0% by weight for the horizontally mounted condition, and approximately 5.0% by weight for the vertically mounted condition.

(Standard grease filled bearings using contact (LU) and non-contact (LB) seals were also subjected to the above test. Within ten minutes after starting the test, centrifugal force caused the seals to become displaced allowing the grease to expel.)





Fig. 2 Lubricant leakage test results

Note) Leakage: weight ratio of leaked lubricant compared to the amount (100%) of NTN Solid grease filled

Table 5 Lubricant leakage test conditions

	Bearing A	Bearing B	
Test pieces	6201(Solid grease, spot-pack, open) 6201LLU(lithium mineral oil grease, contact type rubber seal) 6201LLB(lithium mineral oil grease, non-contact type rubber seal)		
Centrifugal acceleration	3,000 G (5,000 min ⁻¹)		
Bearing speed	Static		
Bearing fixing	The centrifugal force acts in the radial loading direction of the bearing. The centrifugal force acts in the a loading direction of the bearing.		
Test time	4 hours : The bearings were weighed every hour and lubricant leakage (weight ratio) was determined.		

(2) Rotating Torque Test

When tested, the required rotating torque level for **NTN** bearings with solid grease utilizing the spot-pack configuration was found to be less than bearings using lithium-diester grease (an acknowledged low torque grease). However, the full-pack configuration exhibited running torque levels greater than those of standard bearings.



Fig. 3 Torque tester

Table 6 Torque testing conditions

	Testing conditions
Test piece	6204ZZ
Test grease	LP03 and Li greases (30% fill relative to the bearing space capacity, other than for LP03 full-pack configuration)
Bearing load	Radial load; 39 N {4 kgf}
Bearing speed	1,800, 3,600, 7,200 min ⁻¹
Measuring method	Measured after rotating torque was stabilized

Table 7 Torque test results unit ×10⁻⁴Nm Speed (min⁻¹) 1800 3600 7200 385 Li-mineral oil grease 230 550 Li-polyol-ester-grease 145 265 383 Li-diester grease 90 315 403 190 63 113 Spot-pack Solid grease Full-pack 340 _ _

(3) Salt Water Test

A salt water endurance test was performed to compare the performance of bearings with solid grease to that of bearings using a conventional lubricant (lithium-mineral oil based grease). As noted in **Table 9**, **NTN** bearings with solid grease were found to out perform standard bearings although some surface deterioration had been detected.





Table 8 Salt water testing conditions

	Bearing C	Bearing D	
Bearing load	157 N {16 kgf}		
Bearing speed	50 min ⁻¹ (outer ring) 144 min ⁻¹ (outer rir		
Volume of sprayed water	9 lit./min.		
Salt concentration	5.0% wt.		
Operating cycle	Total running time 500 h. (5 hour run+5 hour break)×62 cycles		

Table 9 Salt water test results

	Solid grease		Li-mineral oil grease	
	Brg. C	Brg. D	Brg. C	Brg. D
Rotating condition (ease of hand rotation)	\bigtriangleup	\bigtriangleup	×	×
Amount of lubricant remaining	0	0	×	×
Lubricant deterioration	\bigtriangleup	\bigtriangleup	×	×
Water invasion resistance	0	0	×	×

Test results= \bigcirc : good \triangle : fair (some deterioration detected) \times : poor

6 Stainless steel series prelubricated deep groove ball bearings

1. Product overview

- (1) Having an inner ring, outer ring, and retainer each made of a stainless steel, this unique series of contact seal type deep groove ball bearings have a spot-pack configuration with solid grease (LP03).
- (2) Bearing accuracy

The dimensional accuracy and running accuracy of this series of bearings are equivalent to JIS class 0 bearings.

(3) Radial internal clearance

The permissible radial internal clearances of this bearing series are summarized in the table below. Note that the values in this table differ from those specified in the JIS (Japanese Industrial Standard) standard.

			Unit: µm
Nominal bo	re diameter	Radial internal	
mm		clear	rance
over	incl.	min	max
_	10	6	17
10	18	6	20
18	30	8	22

(4) The indications on the inner and outer rings are as listed below.

• SSN 0 series

Designation	Indication		
Designation	Inner ring	Outer ring	
SSN000LL	SS	SS	
SSN001LL	SS	SS	
SSN002LL	SS SS		
SSN003LL	SS SMT, SS6003, JAPAN		
SSN004LL	SS	SMT, SS6004, JAPAN	
SSN005LL	SS	SMT, SS6005, JAPAN	
SSN006LL	SS	SMT, SS6006, JAPAN	

SSN 2 series

Designation	Indication			
Designation Inner ring		Outer ring		
SSN200LL	SS	SMT, SS6200, JAPAN		
SSN201LL	SS	SMT, SS6201, JAPAN		
SSN202LL	SS SMT, SS6202, JAPAN			
SSN203LL	SS SMT, SS6203, JAPA			
SSN204LL	SS	SMT, SS6204, JAPAN		
SSN205LL	SS SMT, SS6205, JAPAN			
SSN206LL	SMT, 6206RS, JAPAN	SS		

2. Dimension table



	Contact	seal	typ
--	---------	------	-----

Boundary dimensions				Basic load ratings				Bearing number	Optional @
mm			dynamic static dynamic static kN kgf					(Basic number)	
d	D	В	$\gamma_{\rm smin}$	Cr	Cor	Cr	Cor		
10	26	8	0.3	3.5	1.96	360	200	SSN000LL/LP03	6000
	30	9	0.6	3.95	2.39	400	244	SSN200LL/LP03	6200
12	28	8	0.3	3.95	2.39	400	244	SSN001LL/LP03	6001
	32	10	0.6	5.25	3.05	535	310	SSN201LL/LP03	6201
15	32	9	0.3	4.30	2.86	440	291	SSN002LL/LP03	6002
	35	11	0.6	5.85	3.75	600	380	SSN202LL/LP03	6202
17	35	10	0.3	4.60	3.25	470	330	SSN003LL/LP03	6003
	40	12	0.6	7.35	4.80	750	490	SSN203LL/LP03	6203
20	42	12	0.6	7.20	5.05	735	515	SSN004LL/LP03	6004
20	47	14	1	9.90	6.65	1 010	680	SSN204LL/LP03	6204
25	47	12	0.6	7.75	5.85	790	595	SSN005LL/LP03	6005
25	52	15	1	10.8	7.85	1 100	800	SSN205LL/LP03	6205
30	55	13	1	10.2	8.25	1 040	845	SSN006LL/LP03	6006
	62	16	1	15.0	11.3	1 530	1 150	SSN206LL/LP03	6206

1 Smallest allowable dimension for chamfer dimension *r*.

2 The dimensions with listed basic numbers are identical to the boundary dimensions in JIS B 1512.



<section-header><section-header><section-header>



Support bearings for bottle feeder of filler on bottling line

Prevention of lubricant leakage and product contamination









Table 10 Typical applications

Machines	Required characteristics		
Cranes, sheaves, conveyors, steel mill rollers, amusement machines, etc.	Bearings with long lubricant life		
Fork lift truck mast rollers, conveyors, etc.	Improved dust and water-proofing capability		
Wire stranding machines etc.	Prevention of lubricant leakage (i.e. applications where the bearing is required to rotate about an axis other than its own).		
Printing presses, office equipment, textile machines, food processing machines, etc.	Prevention of leaked lubricant (clean work environment)		
Testing equipment, film stretching machines, etc.	Low torque		

CAUTIONS: Avoid use in presence of splashing organic solvent (acetone, benzene, kerosene, etc.)